



Astm A210 Gr A1 Carbon Steel Boiler Tubes Seamless Mechanical Tubing A376 Tp347h

Our Product Introduction

for more products please visit us on seamless-steeltube.com

Basic Information



Product Specification

- Product Name: High Pressure Boiler Pipe
- Outer Diameter: 8~1240mm
- Wall Thickness: 1-200mm
- Length: Customized
- Material: Carbon Steel, Stainless Steel, Alloy Steel, Etc
- Section Shape: Round, Square, Or Other Special Shape
- Technique: Hot Rolled, Cold Rolled, Cold Drawn
- Payment Term: T/T, L/C, Western Union
- Highlight: **0.5mm-40mm boiler tubes distributor, boiler tubes distributor 0.5mm-40mm, 0.5mm-40mm distributor boiler tubes**



Product Description

Standard Grade High Pressure Boiler Pipe Seamless Steel Pipe

Specifications

Product name	Material	Standard	Size(mm)	Application
Low temperature tube	16MnDG 10MnDG 09DG 09Mn2VDG 06Ni3MoDG ASTM A333	GB/T18984 - 2003 ASTM A333	OD:8-1240* WT:1-200	Apply to - 45 ~ 195 low temperature pressure vessel and low temperature heat exchanger pipe
High-pressure boiler tube	20G ASTMA106B ASTMA210A ST45.8-III	GB5310-1995 ASTM SA106 ASTM SA210 DIN17175-79	OD:8-1240* WT:1-200	Suitable for manufacturing high pressure boiler tube, header, steam pipe, etc
Petroleum cracking tube	10 20	GB9948-2006	OD: 8-630* WT:1-60	Used in oil refinery furnace tube, heat exchanger tube
Low medium pressure boiler tube	10# 20# 16Mn,Q345	GB3087-2008	OD:8-1240* WT:1-200	Suitable for manufacturing various structure of low and medium pressure boiler and locomotive boiler
General structure of the tube	10#,20#,45#,27SiMn ASTM A53A,B 16Mn,Q345	GB/T8162-2008 GB/T17396-1998 ASTM A53	OD:8-1240* WT:1-200	Apply to the general structure, engineering support, mechanical processing, etc
Oil casing	J55,K55,N80,L80 C90,C95,P110	API SPEC 5CT ISO11960	OD:60-508* WT:4.24-16.13	Used for extraction of oil or gas in oil Wells casing, used in oil and gas well sidewall

Boiler seamless steel tube adopts steel grade:

- (1) High-quality carbon structural steel grades are 20G, 20MnG, and 25MnG.
- (2) Alloy structural steel grades 15MoG, 20MoG, 12CrMoG, 15CrMoG, 12Cr2MoG, 12CrMoVG, 12Cr3MoVSitB, etc.
- (3) The commonly used 1Cr18Ni9 and 1Cr18Ni11Nb boiler tubes with rust and heat-resistant steels should be subjected to hydrostatic tests, flaring and flattening tests one by one in addition to ensuring chemical composition and mechanical properties. Steel pipes are delivered in heat-treated condition.

FAQ

Q1. Are you a manufacturer or trader?

We are a manufacturer, and we can have our own factory produced many steel products.

Q2. Whether your company supports Trade Assurance order?

Yes, we can (100% product quality protection; 100% on-time shipment protection; 100% payment protection)

Q3. Can we get the some samples? Any charges?

Yes, you can get available samples in our stock. If the samples from new production, we will charge some reasonable cost, but this amount will be deducted from your first order.

Q4. How do we build up business relations with your company?

Send us your requirement which includes size, coating info, parameters, quantity, destination .

Q5. What is the MOQ?

We can accept small orders. Please feel free to contact us, we can meet your requirements.

Q6. What's your advantage?

With high-quality products and efficient customer service, we adhere to the principle of customer first.

Q7. How long is your delivery time?

Delivered within 15 days after receipt of deposit.



Shandong Fengbao Metal Products Co., Ltd



13003369243



Lydia@fengbaosteels.com



seamless-steel-tube.com

